

# HPA-P 150/60 · 150 tons x 60" Hydraulic Workshop Press Brake



## HPA-P 150/60 150 Ton Hydraulic Workshop Press Brake \$29,900

These high-quality European built machines are a cost-effective solution for small bending jobs and prototyping. The HPA-P presses offer 100 to 200 tons of working pressure providing steady smooth operation with manual and two-handed working controls at a much lower price point than their CNC cousins. The one-step pressure adjustment and one-step stroke adjustment simplify what can be a daunting task.

The limit switches keep cycle times to a minimum while the choice of 40", 60", 80", or 100" of bend length and an adjustable table height offering up to 16" of daylight, make for easy manipulation of the workpieces. The guide columns on either side of the center hydraulic cylinder help to ensure steady and even pressure across the table.

The HPA-P comes with a top pressbrake die and holders and a standard multi-V bottom die, both of which can be replaced with any standard or custom pressbrake tooling. Options include segmented tooling, backgauge, bottom table with special T-slots, working with a footpedal, and a high-speed system.



### Standard Configuration:

- Top pressbrake die and holders
- Bottom die with 5 V
- Adjustment system for moving the table
- Infinite pressure adjustment
- Infinite stroke adjustment
- Adequate work space for large sheet metal
- Manual and two hand working control

### Specifications

Press power	1500 kN (150 ton)
Max. working pressure	244 bar (3,583 psi)
Stroke	300 mm (11.8")
Width of working area	1520 mm (60")
Distance between tables	610 mm (24")
Advance speed	9 mm/s (0.35"/sec)
Working speed	5 mm/s (0.2"/s)
Return speed	10 mm/s (0.4"/sec)
Die table dimension	600x1520 mm (24x60")
Die table center hole	Ø100 mm (3.9")
Main drive motor	11 kW (15 Hp)
Dimensions (LxWxH)	2500x1000x2380 mm (98x39x94")
Weight	3100 kg (6,835 lbs)

*In-Stock Special*  
**\$29,900!**

